Version 2.0	Revision Date: 04/17/2015	MSDS Numbe 31854-00003	r: Date of last issue: 02/16/2015 Date of first issue: 11/24/2014		
SECTION	1. IDENTIFICATION				
Produ	uct name	: SSS Eleva	te Advance Antibacterial Foam Hand Cleaner		
Produ	Product code		06, 34111, 34116		
Manu	facturer or supplier's	details			
Comp	pany name of supplier	: TRIPLE S			
Addre	ess	: 2 Executive Billerica, M	e Park Drive A 01862		
Telep	hone	: 978-667-79	978-667-7900		
Emer	Emergency telephone		: 888-779-1339		
Reco	mmended use of the o	chemical and re	strictions on use		
Reco	mmended use	: Antibacteri	al Soap		
Restr	ictions on use	consumers foreseeable specifically exempt fro While this r contains va proper use as well as r spills. This employees intended-u	ersonal care or cosmetic product that is safe for and other users under normal and reasonably e use. Cosmetics and consumer products, defined by regulations around the world, are m the requirement of an SDS for the consumer. naterial is not considered hazardous, this SDS aluable information critical to the safe handling and of the product for industrial workplace conditions unusual and unintended exposures such as large SDS should be retained and available for and other users of this product. For specific se guidance, please refer to the information in the package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger

 Hazard Statements : H226 Flammable liquid and vapor. H318 Causes serious eye damage. Precautionary Statements : Prevention: P210 Keep away from heat/sparks/open flames/hot su No smoking. P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lightin equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static disc P280 Wear protective gloves/ eye protection/ face prot Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off im 	Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
P210 Keep away from heat/sparks/open flames/hot su No smoking. P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lightin equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static disc P280 Wear protective gloves/ eye protection/ face prot Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off im	Hazaro	d Statements		
all contaminated clothing. Rinse skin with water/showe P305 + P351 + P338 + P310 IF IN EYES: Rinse cautio water for several minutes. Remove contact lenses, if p and easy to do. Continue rinsing. Immediately call a P CENTER or doctor/ physician. Storage: P403 + P235 Store in a well-ventilated place. Keep co Disposal: P501 Dispose of contents/ container to an approved w disposal plant.	Precau	utionary Statements	P210 Keep awa No smoking. P233 Keep com P241 Use explo equipment. P242 Use only i P243 Take pred P280 Wear prof Response: P303 + P361 + all contaminated P305 + P351 + water for severa and easy to do. CENTER or doo Storage: P403 + P235 Si Disposal: P501 Dispose of	tainer tightly closed. bsion-proof electrical/ ventilating/ lighting/ non-sparking tools. cautionary measures against static discharge. tective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately d clothing. Rinse skin with water/shower. P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON ctor/ physician. tore in a well-ventilated place. Keep cool.

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 10 - < 20
Dodecanoic acid	143-07-7	>= 5 - < 10
Propylene glycol	57-55-6	>= 5 - < 10
Ethanolamine	141-43-5	>= 1 - < 5
Imidazolium compounds, 1-[2-	68650-39-5	>= 1 - < 5
(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-		
dihydro-2-norcoco alkyl, hydroxides, sodium		
salts		

SECTION 4. FIRST AID MEASURES

General advice

 In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical

Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014				
If inhaled			nove to fresh air. attention if symptoms occur.				
In case of skin contact			: Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
In case of eye contact		 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. 					
If swallowed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.					
	important symptoms ffects, both acute and ed	: Causes serio	us eye damage.				
Protec	ction of first-aiders	and use the r	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists.				
Notes	to physician	: Treat sympto	matically and supportively.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Versio 2.0	n	Revision Date: 04/17/2015		DS Number: 354-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
		protective equipment ighters	:		e, wear self-contained breathing apparatus. ective equipment.
SECTI	ION 6.	ACCIDENTAL RELE	ASE	MEASURES	
рг	rotectiv	al precautions, ve equipment and ncy procedures	:	Remove all sourc Use personal prot Follow safe handl equipment recom	ective equipment. ing advice and personal protective
E	nviron	mental precautions	:	Prevent further lea Prevent spreading barriers). Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages ed.
		s and materials for nent and cleaning up	:	Suppress (knock jet. For large spills, pr containment to ke can be pumped, s container. Clean up remainir absorbent. Local or national r disposal of this m employed in the c determine which r Sections 13 and 1	s should be used. absorbent material. down) gases/vapors/mists with a water spray rovide diking or other appropriate ep material from spreading. If diked material atore recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	e Engineering measures under EXPOS NTROLS/PERSONAL PROTECTION s	
Local/Total ventilation	e with local exhaust ventilation. e only in an area equipped with explosic ntilation.	on proof exhaust
Advice on safe handling	bid inhalation of vapor or mist. not swallow. not get in eyes. bid prolonged or repeated contact with s ndle in accordance with good industrial actice.	

Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
		Keep container ti Keep away from Take precautiona	ls should be used. ghtly closed. heat and sources of ignition. rry measures against static discharges. rent spills, waste and minimize release to the
Condit	ions for safe storage	Store in accordar	
Materia	als to avoid	Strong oxidizing a Organic peroxide Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating subs	s s s stances and mixtures mixtures which in contact with water emit

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Dodecanoic acid	143-07-7
Imidazolium compounds, 1-[2-	68650-39-5

Version 2.0	Revision Date: 04/17/2015	MSDS Number:Date of last issue: 02/16/201531854-00003Date of first issue: 11/24/2014	
(ca no	arboxymethoxy)ethyl]-1- arboxymethyl)-4,5-dihydro- rcoco alkyl, hydroxides, dium salts		
En	gineering measures	 Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation. 	it
Pe	rsonal protective equipm	nt	
Re	spiratory protection	: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Wh concentrations are above recommended limits or are unknown, appropriate respiratory protection should be wor Follow OSHA respirator regulations (29 CFR 1910.134) ar use NIOSH/MSHA approved respirators. Protection provid by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provi- adequate protection.	rn. nd led
	nd protection Material	: Impervious gloves	
	Material	: Flame retardant gloves	
	Remarks	: Choose gloves to protect hands against chemicals depend on the concentration specific to place of work. Breakthroug time is not determined for the product. Change gloves ofte For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.	gh
Ey	e protection	: Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield	
Sk	in and body protection	 Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protecti clothing (gloves, aprons, boots, etc). 	ive
Hy	giene measures	: Ensure that eye flushing systems and safety showers are located close to the working place.	

Version 2.0	Revision Date: 04/17/2015		DS Number: 54-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
				ot eat, drink or smoke. ed clothing before re-use.
SECTION	9. PHYSICAL AND CHI	ЕМІС		S
Appea	arance	:	liquid	
Color		:	clear, purple	
Odor		:	citrus	
Odor ⁻	Threshold	:	No data available	e
рН		:	7.8 - 9.7	
Meltin	g point/freezing point	:	No data available	e
Initial range	boiling point and boiling	:	97.00 °C	
Flash	point	:	56.00 °C	
Evapo	pration rate	:	No data available	e
Flamn	nability (solid, gas)	:	Not applicable	
Upper	explosion limit	:	No data available	e
Lower	explosion limit	:	No data available	e
Vapor	pressure	:	No data available	9
Relativ	ve vapor density	:	No data available	e
Densit	ty	:	1.00 g/cm3	
	ility(ies) ter solubility	:	soluble	
	on coefficient: n- bl/water	:	Not applicable	
Autoig	nition temperature	:	No data available	e
Decor	nposition temperature	:	The substance o	r mixture is not classified self-reactive.
Viscos Visc	sity cosity, kinematic	:	10 - 20 mm2/s (2	20 °C)
Explos	sive properties	:	Not explosive	

Version 2.0	Revision Date: 04/17/2015		SDS Number: 854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
Oxic	Oxidizing properties		The substance	e or mixture is not classified as oxidizing.	
SECTIO	N 10. STABILITY AND R	EAC	TIVITY		
Rea	Reactivity		: Not classified as a reactivity hazard.		
Che	Chemical stability		Stable under r	ormal conditions.	
	Possibility of hazardous reac- tions			uid and vapor. rm explosive mixture with air. strong oxidizing agents.	
Con	Conditions to avoid		Heat, flames a	nd sparks.	
Inco	Incompatible materials		Oxidizing ager	nts	
	ardous decomposition lucts	s decomposition : No hazardous decomposition products are known.		decomposition products are known.	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure
Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:		
Ethanol:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
Dodecanoic acid: Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg

rsion	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014		
II		Method: OEC	CD Test Guideline 401		
Acute	inhalation toxicity	: LC50 (Rat): Exposure tim Test atmospl Remarks: Ba	e: 4 h		
Acute dermal toxicity		Assessment: toxicity	t): > 2,000 mg/kg The substance or mixture has no acute dermal sed on data from similar materials		
	ylene glycol: e oral toxicity	: LD50 (Rat): >	> 5,000 mg/kg		
Acute	inhalation toxicity	Exposure tim Test atmospl Assessment:	: LC50 (Rabbit): > 159 mg/l, > 51091 ppm Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity		
Acute	e dermal toxicity		t): > 2,000 mg/kg The substance or mixture has no acute dermal		
II Ethar	nolamine:				
	oral toxicity	: LD50 (Rat): 2	I,515 mg/kg		
Acute	inhalation toxicity	Test atmospl Method: Exp	ert judgment sed on harmonised classification in EU regulation		
	e dermal toxicity	: LD50 (Rabbi	t): 1,025 mg/kg		
			oxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-		
	oco alkyl, hydroxides e oral toxicity	: LD50 (Rat, m	nale): > 5,000 mg/kg sed on data from similar materials		
Acute	e dermal toxicity		> 5,000 mg/kg CD Test Guideline 402 sed on data from similar materials		

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
Metho	ol: es: Rabbit od: OECD Test Guidelir t: No skin irritation	ne 404	
Specie Metho	canoic acid: es: Rabbit d: OECD Test Guidelir t: No skin irritation	ne 404	
Specie Metho	r lene glycol: es: Rabbit d: OECD Test Guidelir t: No skin irritation	ne 404	
Specie	o lamine: es: Rabbit t: Corrosive after 3 min	utes to 1 hour of expo	sure
norco Specie Metho Result	zolium compounds, 1 co alkyl, hydroxides, es: Rabbit d: OECD Test Guidelir t: No skin irritation rks: Based on data fror	sodium salts: ne 404	y)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
	u s eye damage/eye ir i es serious eye damage		
Ethan Specie Result	<mark>dients:</mark> o l: es: Rabbit t: Irritation to eyes, reve d: OECD Test Guidelir		
Specie Result	canoic acid: es: Rabbit t: Irreversible effects or d: OECD Test Guidelir		
Specie Result	r lene glycol: es: Rabbit t: No eye irritation bd: OECD Test Guidelir	ne 405	
Specie	olamine: es: Rabbit t: Irreversible effects or	n the eye	
norco Specie	zolium compounds, 1 co alkyl, hydroxides, es: Rabbit t: Irreversible effects or	sodium salts:	y)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-

Version Revision Date: MSDS Number: Date of last issue: 02/16/2015 2.0 04/17/2015 31854-00003 Date of first issue: 11/24/2014 Method: OECD Test Guideline 405 Remarks: Based on data from similar materials Respiratory or skin sensitization Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information. Product: Assessment: Does not cause skin sensitization. Ingredients: Ethanol: Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative Dodecanoic acid: Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Propylene glycol: Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Ethanolamine: Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2norcoco alkyl, hydroxides, sodium salts: Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials Germ cell mutagenicity Not classified based on available information. Ingredients: Ethanol: Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test **Result:** negative

SAFETY DATA SHEET

rsion	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
Genot	toxicity in vivo	: Test Type: Rode Species: Mouse Application Rout Result: negative	e: Ingestion
II Dode	canoic acid:		
	toxicity in vitro	Method: OECD Result: negative	ro mammalian cell gene mutation test Test Guideline 476 I on data from similar materials
II Propy	/lene glycol:		
	toxicity in vitro	: Test Type: Bactor Result: negative	erial reverse mutation assay (AMES)
Genot	toxicity in vivo	Species: Mouse	e: Intraperitoneal injection
Ethan	olamine:		
	toxicity in vitro		ro mammalian cell gene mutation test Test Guideline 476
Genot	toxicity in vivo	cytogenetic assa Species: Mouse Application Rout	te: Ingestion Test Guideline 474
	zolium compounds oco alkyl, hydroxide		y)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
	toxicity in vitro	: Test Type: Chro Method: OECD Result: negative	mosome aberration test in vitro Test Guideline 473 I on data from similar materials
		Result: negative	erial reverse mutation assay (AMES) I on data from similar materials
		Method: OECD Result: negative	ro mammalian cell gene mutation test Test Guideline 476 I on data from similar materials
	nogenicity		
	assified based on av <mark>dients:</mark>	allable information.	

Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014				
Applic Expos	es: Rat cation Route: Ingestion sure time: 2 Years lt: negative						
II IARC	;	equal to 0.1% is	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.				
OSH	A		this product present at levels greater than or identified as a carcinogen or potential carcino-				
NTP			this product present at levels greater than or identified as a known or anticipated carcinogen				
Not cl	oductive toxicity assified based on availa	ble information.					
Ingre Ethar	<u>dients:</u>						
	is on fertility	Species: Mous Application Ro	oute: Ingestion D Test Guideline 416				
II Dode	canoic acid:						
	s on fertility	reproduction/c Species: Rat Application Ro Method: OEC Result: negati	D Test Guideline 422				
Effect	s on fetal development	reproduction/c Species: Rat Application Ro Method: OEC Result: negati	D Test Guideline 422				
	ylene glycol: is on fertility	: Species: Mous Application Ro Result: negati	oute: Ingestion				
Effect	s on fetal development	: Test Type: En Species: Mous Application Ro					

Version 2.0	Revision Date: 04/17/2015	MSDS Numb 31854-00003	2.	ate of last issue: 02/16/2015 ate of first issue: 11/24/2014			
		Result: n	egative				
	Ethanolamine: Effects on fertility		: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative				
Effects	s on fetal development	Species: Application	Rat on Route: In OECD Test	etal development gestion Guideline 414			

STOT-single exposure

Not classified based on available information.

Ingredients:

Ethanolamine:

Assessment: May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Ingredients:

Ethanolamine:

Routes of exposure: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Dodecanoic acid:

Species: Rat NOAEL: 10,000 mg/kg Application Route: Ingestion Exposure time: 18 w

Propylene glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

Ethanolamine:

Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
NOAE Applic Expos Imida norco Speci NOAE	es: Rat EL: 150 mg/m3 cation Route: inhalatic sure time: 28 d zolium compounds, co alkyl, hydroxides es: Rat, female EL: 250 mg/kg EL: 500 mg/kg	1-[2-(carboxymethox	y)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
Applic Expos Rema	cation Route: Ingestion sure time: 28 d arks: Based on data fro ation toxicity		

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:	
Ethanol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Dodecanoic acid:	
Toxicity to fish	 LC50 (Oryzias latipes (Japanese medaka)): 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

				Date of first issue: 11/24/2014
			Remarks: No to	xicity at the limit of solubility.
			Exposure time: Method: OECD	strum capricornutum (green algae)): > 7.6 mg/l 72 h Test Guideline 201 xicity at the limit of solubility.
Toxic toxicit	ity to fish (Chronic ty)	:	Exposure time:	erio (zebra fish)): 2 mg/l 28 d d on data from similar materials
aquat	ity to daphnia and other tic invertebrates nic toxicity)	:	Exposure time:	a magna (Water flea)): 0.47 mg/l 21 d Test Guideline 211
Toxic	ity to bacteria	:	Exposure time:	nonas putida): > 1,000 mg/l 30 min Test Guideline 209
Prop Toxic	ylene glycol: ity to fish	:	LC50 (Oncorhy Exposure time:	nchus mykiss (rainbow trout)): 40,613 mg/l 96 h
	ity to daphnia and other tic invertebrates	:	EC50 (Ceriodap Exposure time:	ohnia dubia (water flea)): 18,340 mg/l 48 h
Toxic	ity to algae	:	Exposure time:	ema costatum (marine diatom)): 19,000 mg/l 48 h Test Guideline 201
Toxic toxicit	ity to fish (Chronic ty)	:	Chronic Toxicity Exposure time:	/ Value: 2,500 mg/l 30 d
aquat	ity to daphnia and other tic invertebrates nic toxicity)	:	NOEC (Cerioda Exposure time:	phnia dubia (water flea)): 29,000 mg/l 7 d
Toxic	ity to bacteria	:	NOEC (Pseudo Exposure time:	monas putida): > 20,000 mg/l 18 h
	nolamine: ity to fish	:	LC50 (Cyprinus Exposure time:	carpio (Carp)): 349 mg/l 96 h
	ity to daphnia and other iic invertebrates	:	EC50 (Daphnia Exposure time:	magna (Water flea)): 65 mg/l 48 h
Toxic	ity to algae	:	ErC50 (Selenas Exposure time:	strum capricornutum (green algae)): 2.8 mg/l 72 h
			NOEC (Scened mg/l Exposure time:	esmus capricornutum (fresh water algae)): 1 72 h

Version 2.0	Revision Date: 04/17/2015	MSDS 1 31854-0	Number:)0003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
	Toxicity to fish (Chronic toxicity)		EC (Oryzias la osure time: 41	ntipes (Orange-red killifish)): 1.24 mg/l I d	
aqua	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		EC (Daphnia r osure time: 21		
Τοχία	city to bacteria		EC50 (Pseudomonas putida): 110 mg/l Exposure time: 17 h		
II Imida	azolium compounds, 1-	2-(carbo	oxymethoxy)	ethyl]-1-(carboxymethyl)-4,5-dihydro-2-	
	oco alkyl, hydroxides, s city to fish	: LC5 Exp Met	0 (Oncorhync osure time: 96 nod: OECD Te	hus mykiss (rainbow trout)): 4.2 mg/l 5 h est Guideline 203 on data from similar materials	
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia magna (Water flea)): 17.9 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials		
Τοχία	Toxicity to algae		osure time: 72 nod: Directive	rchneriella subcapitata (green algae)): 3.2 2 h 67/548/EEC, Annex V, C.3. on data from similar materials	
		mg/l Exp Met	osure time: 72 nod: Directive	rchneriella subcapitata (green algae)): 10 2 h 67/548/EEC, Annex V, C.3. on data from similar materials	
Pers	istence and degradabil	у			
<u>Prod</u> Biode	luct: egradability	: Res	ult: Biodegrad	lable	
	edients:				
Etha Biode	nol: egradability	Bioc	ult: Readily bi legradation: 8 osure time: 20	34 %	
	ecanoic acid: egradability	Bioc Exp	legradation: 8 osure time: 30		
II Prop	oylene glycol:				

Versio 2.0	n	Revision Date: 04/17/2015		SDS Number: 854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
В	Biodegradability		:	Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F		
	Ethanolamine: Biodegradability		:	Result: Readily biodegradable. Biodegradation: > 90 % Exposure time: 21 d		
					ethyl]-1-(carboxymethyl)-4,5-dihydro-2-	
	norcoco alkyl, hydroxides, s Biodegradability			Result: Readily biodegradable. Biodegradation: 79 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials		
В	Bioaco	cumulative potential				
		ients:				
P		ol: n coefficient: n- l/water	:	log Pow: -0.35		
		anoic acid:				
В	lioacc	umulation	:		factor (BCF): 234 - 288 on data from similar materials	
		n coefficient: n- l/water	:	Pow: 4.6		
Р	artitio	l ene glycol: on coefficient: n- l/water	:	log Pow: -1.07		
P	artitic	blamine: on coefficient: n- I/water	:	log Pow: -1.91		
м	lobili	ty in soil				
Ν	No data available					
•		adverse effects a available				

SECTION 13. DISPOSAL CONSIDERATIONS

- Waste from residues
- : Dispose of in accordance with local regulations.

.0	04/17/2015	31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
Contaminated packaging		: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.		
ECTION	14. TRANSPORT INF	ORMATION		
Intern	ational Regulation			
UNRT	DG			
UN nu	ımber	: UN 1170		
Prope	r shipping name	: ETHYL ALCO	HOL SOLUTION	
Class		: 3		
Packir	ng group	: 111		
Labels	S	: 3		
IATA-	DGR			
UN/ID		: UN 1170		
	r shipping name	: Ethanol solution	ก	
Class	r ompping name	: 3		
	ng group	:		
Labels		: Flammable Lie	zuids	
	ng instruction (cargo	: 366	14140	
aircraf				
	ng instruction	: 355		
(passe	enger aircraft)			
IMDG	-Code			
UN nu	umber	: UN 1170		
Prope	r shipping name		HOL SOLUTION	
lla		(Triclosan)		
Class		: 3		
Labels	ng group	: III : 3		
EmS (: F-E, S-D		
	e pollutant	: yes		
	•	-	RPOL 73/78 and the IBC Code	
	•	-		
ivot ap	oplicable for product as	s supplied.		

49 CFR UN/ID/NA number Proper shipping name	: UN 1170 : ETHYL ALCOHOL SOLUTIONS
Class	: 3
Packing group	: III
Labels	: FLAMMABLE LIQUID
ERG Code	: 127
Marine pollutant	: yes (Triclosan)

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
2.0	04/17/2015	31854-00003	Date of first issue: 11/24/2014

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

	Water Ethanol Propylene glycol Dodecanoic acid Ethanolamine Propan-2-ol	7732-18-5 64-17-5 57-55-6 143-07-7 141-43-5 67-63-0	70 - 90 % 10 - 20 % 5 - 10 % 5 - 10 % 1 - 5 % 0.1 - 1 %
New Jer	rsey Right To Know		
	Water	7732-18-5	70 - 90 %
	Ethanol	64-17-5	10 - 20 %
	Propylene glycol	57-55-6	5 - 10 %
	Dodecanoic acid	143-07-7	5 - 10 %
	Ethanolamine	141-43-5	1 - 5 %

California Prop 65 This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories: AICS : All ingredients listed or exempt.


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

VersionRevision Date:MSDS Number:Date of last issue: 02/16/20152.004/17/201531854-00003Date of first issue: 11/24/2014

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL ACGIH / TWA ACGIH / STEL	:	USA. Workplace Environmental Exposure Levels (WEEL) 8-hour, time-weighted average Short-term exposure limit
NIOSH REL / TWA		Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA US WEEL / TWA		8-hour time weighted average 8-hr TWA
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	04/17/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
2.0	04/17/2015	31854-00003	Date of first issue: 11/24/2014

in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8